

Patent  
82478-4100

**IN THE CLAIMS:**

1-8. (Cancelled)

9. (Original) A communication terminal which displays, when a memory dial function is used, a plurality of registered names of parties to which a telephone call is possibly made, and initiates, according to a predetermined operation, the telephone call to a telephone number which corresponds to a selected registered name, comprising:

call destination selection means for selecting one name from the displayed plurality of registered names;

measuring means for measuring a length of time for which the selected registered name is displayed;

first display means for displaying, when the length of time measured by the measuring means exceeds a predetermined length of time, a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name;

second display means for displaying, when the predetermined operation is performed while the plurality of telephone numbers and e-mail addresses is being displayed on the first display means, only the telephone numbers;

telephone number selection means for selecting one telephone number from the plurality of telephone numbers being displayed on the second display means; and

call initiation means for initiating a telephone call to the selected telephone number.

20

469644.1

2

BEST AVAILABLE COPY

Patent  
82478-4100

10. (Original) The communication terminal of Claim 9

wherein the first display means forms a popup window on part of a screen in which the plurality of registered names are being simultaneously displayed, and displays the plurality of telephone numbers and e-mail addresses of the selected setting item in the popup window.

5

11. (Original) A display method for a communication terminal which displays, when a memory dial function is used, a plurality of registered names of parties to which a telephone call is possibly made, and initiates, according to a predetermined operation, the telephone call to a telephone number which corresponds to a selected registered name, the display method

10 comprising:

a first step for selecting one name from the displayed plurality of registered names;

a second step for measuring a length of time for which the selected registered name is displayed;

15 a third step for displaying, when the length of time measured by the second step exceeds a predetermined length of time, a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name;

a fourth step for displaying, when the predetermined operation is performed while the plurality of telephone numbers and e-mail addresses is being displayed by the third step, only the telephone numbers;

20 a fifth step for selecting one telephone number from the plurality of telephone numbers being displayed by the fourth step; and

a sixth step for initiating a telephone call to the selected telephone number.

459644.1

Patent  
82478-4100

12. (Original) The communication terminal of Claim 9

wherein the third step includes a seventh step for forming a popup window on part of a screen in which the plurality of registered names are being simultaneously displayed, and displaying the plurality of telephone numbers and e-mail addresses of the selected setting item in  
5 the popup window.

13.-14. (Cancelled)

15. (New) A communication terminal having a display that displays a plurality of  
10 setting items for related internal functions of the communication terminal, comprising:

an operation unit operable to receive, according to key input, an instruction for selecting a setting item from the plurality of setting items displayed on the display; and

a control unit operable to measure a length of time from when the selected setting item is selected according to the instruction, and when the measured length of time exceeds a  
15 predetermined length of time, control such that the display displays a setting value of the selected setting item.

16. (New) The communication terminal of Claim 15 wherein,

when the measured length of time from when the setting item is selected  
20 according to the instruction exceeds the predetermined length of time, the control unit controls such that a window that displays the setting value of the selected setting item pops up on part of a display screen of the display.

469644.1

BEST AVAILABLE COPY

Patent  
82478-4100

17. (New) The communication terminal of Claim 16 wherein,  
while the setting value of the selected setting item is being displayed on the  
display, when the operation unit receives, according to key input, an instruction for selecting  
another of the setting items, the control unit controls such that display of the setting value is  
5 stopped.

18. (New) The communication terminal of claim 15 wherein,  
while the setting value of the selected setting item is being displayed on the  
display, when the operation unit receives, according to key input, an instruction for selecting  
10 another of the setting items, the control unit controls such that display of the setting value is  
stopped.

19. (New) A display method for a communication terminal having a display that  
displays a plurality of setting items for related internal functions of the communication terminal,  
15 the display method comprising:

a first step of receiving, according to key input, an instruction for selecting a  
setting item from the plurality of setting items displayed on the display; and

a second step of measuring a length of time from when the selected setting item is  
selected according to the instruction, and when the measured length of time exceeds a  
20 predetermined length of time, controlling such that the display displays a setting value of the  
selected setting item.

469644.1

BEST AVAILABLE COPY

Patent  
82478-4100

20. (New) The display method of Claim 19 wherein,  
in the second step, when the measured length of time from when the setting item  
is selected according to the instruction exceeds the predetermined length of time, control is  
performed such that a window that displays the setting value of the selected setting item pops up  
5 on part of a display screen of the display.

21. (New) The display method of Claim 20, further comprising:  
a third step of, while the setting value of the selected setting item is being  
displayed on the display, when the operation unit receives, according to key input, an instruction  
10 for selecting another of the setting items, stopping display of the setting value.

22. (New) The display method of Claim 19, further comprising:  
a third step of, while the setting value of the selected setting item is being  
displayed on the display, when the operation unit receives, according to key input, an instruction  
15 for selecting another of the setting items, stopping display of the setting value.

23. (New) A communication terminal comprising:  
a display operable to display, when a memory dial function is used, a plurality of  
registered names of parties to which a telephone call is possibly made; an operation unit; and a  
20 control unit, the communication terminal initiating the telephone call to a telephone number  
which corresponds to a registered name selected according to key input with respect to the  
operation unit, wherein

Patent  
82478-4100

the operation unit receives, according to key input, an instruction for selecting one name from the plurality of registered names displayed on the display, and

the control unit measures a length of time for which the selected registered name is displayed;

5 when the measured length of time exceeds a predetermined length of time, controls such that a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name are displayed on the display,

when a predetermined key input is performed with respect to the operation unit while the plurality of telephone numbers and e-mail addresses which correspond to the selected  
10 registered name are being displayed on the display, controls such that only the plurality of telephone numbers are displayed on the display, and

when the operation unit receives an instruction for selecting one telephone number from the displayed plurality of telephone numbers, initiating a telephone call to the selected telephone number.

15

24. (New) The communication terminal of Claim 23 wherein,

when the measured length of time for which the selected registered name is displayed exceeds the predetermined length of time, the control unit controls such that a window that displays a plurality of telephone numbers and e-mail addresses of the selected registered  
20 name pops up on part of a display screen of the display.

25. (New) A display method for a communication terminal including: a display operable to display, when a memory dial function is used, a plurality of registered names of

489644.1

BEST AVAILABLE COPY

Patent  
82478-4100

parties to which a telephone call is possibly made; an operation unit; and a control unit, the communication terminal initiating the telephone call to a telephone number which corresponds to a registered name selected according to key input with respect to the operation unit, the display method comprising:

5 a first step of receiving, according to key input, an instruction for selecting one name from the plurality of registered names displayed on the display;

a first step of receiving, according to key input, an instruction for selecting one name from the plurality of registered names displayed on the display;

10 a second step of measuring a length of time for which the selected registered name is displayed;

a third step of, when the measured length of time exceeds a predetermined length of time, controlling such that a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name are displayed on the display;

15 a fourth step of, when a predetermined key input is performed with respect to the operation unit while the plurality of telephone numbers and e-mail addresses which correspond to the selected registered name are being displayed on the display, controlling such that only the plurality of telephone numbers are displayed on the display; and

20 a fifth step of, when the operation unit receives an instruction for selecting one telephone number from the displayed plurality of telephone numbers, initiating a telephone call to the selected telephone number.

26. (New) The communication terminal of Claim 25 wherein,

Patent  
82478-4100

in the third step, when the measured length of time for which the selected registered name is displayed exceeds the predetermined length of time, control is performed such that a window that displays a plurality of telephone numbers and e-mail addresses of the selected registered name pops up on part of a display screen of the display.

5

BEST AVAILABLE COPY

469644.1

9